

# Revolutionizing Deep-Space Missions Through Advanced Solar Sail Technologies

Zhang Fin

Department of Aerospace Engineering, Tamkang University, Tamsui, New Taipei City  
25137, Taiwan  
zhangfin@mail.tku.edu.tw

## Abstract:

*Solar sailing represents one of the most promising breakthroughs in space exploration, eliminating the need for chemical fuel by using pure sunlight for propulsion. NASA's Advanced Composite Solar Sail System (ACS3) demonstrates this revolutionary technology with its impressive 860-square-foot sail - equivalent to the size of six parking spots - while fitting inside a spacecraft no larger than a microwave oven. This innovative propulsion technology offers remarkable potential for future space missions. In fact, solar sail spacecraft could achieve speeds exceeding 20 astronomical units in just one year, covering approximately 1.86 billion miles. Compared to traditional spacecraft, these light-powered vessels could reach Pluto in half the time - just five years versus the nearly ten years needed by the New Horizons probe. We are witnessing the dawn of true interstellar travel possibilities. The ambitious StarShot project aims to accelerate small solar sails to 20% of light speed using a powerful 100-Gigawatt laser beam array, potentially enabling the first flight past Proxima Centauri by 2060. This groundbreaking technology opens up new frontiers in our quest to explore the cosmos, promising faster and more efficient space travel than ever before.*

## Article History:

Received: 17 June 2021

Revised: 19 November 2021

Accepted: 22 December 2021

Published Online: 10 January 2022

## Keywords:

Interstellar Travel; Laser-Driven Propulsion; Light Propulsion; Solar Sailing; Space Exploration Technologies

### 1. Understanding How Solar Sails Work: The Basics of Light Propulsion

The concept of using light for propulsion dates back to 1921 when Konstantin Tsiolkovsky first theorized the possibility. Later in 1924, Tsiolkovsky and Tsander wrote about "using tremendous mirrors of very thin sheets" and "using the pressure of sunlight to attain cosmic velocities". What once seemed like science fiction has evolved into a genuine propulsion technology with remarkable potential [1]-[3].

#### 1.1 The Science of Photon Pressure

Solar sailing operates on a fundamental physical principle: despite having no mass, photons possess momentum. This concept, rooted in Einstein's relation, states that the momentum of a photon equals its energy divided by the speed of light ( $p = E/c$ ). Alternatively, a photon's momentum can be expressed as  $p = h/\lambda$ , where  $h$  is Planck's constant and  $\lambda$  is the wavelength. When these photons strike a reflective surface, their momentum transfers to that surface.

The physics behind this process involves electromagnetic fields. Photons have associated electric and magnetic fields that interact with the sail material. When photons hit a solar sail's mirror-like surface, they bounce off (reflect), transferring their momentum twice - once upon impact and again upon reflection. Although each photon's contribution is minuscule, the cumulative effect becomes significant in the vacuum of space where no friction exists to counteract this force.

At Earth's distance from the Sun (1 AU), the solar radiation pressure measures approximately  $9.1 \mu\text{N}/\text{m}^2$  on a perfectly reflective sail. Real-world sails achieve about 90% efficiency (approximately  $8.17 \mu\text{N}/\text{m}^2$ ) due to factors like curvature, wrinkles, absorption, and non-specular reflection. This pressure diminishes with the inverse square of distance from the Sun, meaning the force weakens as spacecraft venture farther.

Table 1. Comparison of Solar Sailing and Conventional Space Propulsion Systems

Propulsion Type	Energy Source	Fuel Requirement	Achievable Speed	Key Advantages
<b>Chemical Rockets</b>	Chemical combustion	High	Limited by fuel mass	High thrust for launch
<b>Ion Propulsion</b>	Electrical power (solar/nuclear)	Low	Moderate	Efficient long-duration missions
<b>Solar Sailing</b>	Sunlight (photon pressure)	None	High over long durations	Fuel-free, continuous acceleration
<b>Laser-Driven Solar Sail</b>	Ground-based lasers	None (onboard)	Extremely high (up to 0.2c proposed)	Enables interstellar missions

A common misconception involves "solar wind" – the flux of charged particles emanating from the Sun. Despite popular belief, this doesn't power solar sails. The particle pressure from solar wind near Earth is roughly 1-4 nPa (nanopascals), over three orders of magnitude smaller than photon pressure. Therefore, solar sailing relies primarily on light, not charged particles. Modern calculations predict that continuous photon pressure can accelerate a lightweight sail at approximately 0.0058 cm per second, each second. After a month, this seemingly tiny acceleration could boost speeds to nearly 341 mph (550 km/h). Moreover, unlike conventional rockets that burn through their fuel supply quickly, this acceleration continues as long as light strikes the sail.

**1.2 Why Solar Sails Don't Need Fuel**

The revolutionary aspect of solar sailing stems from its propellant-less nature. Traditional spacecraft must carry every gram of fuel needed for their journey, creating a vicious cycle – more fuel means more mass, requiring even more fuel to accelerate that additional mass. Solar sails elegantly sidestep this limitation.

Instead of depleting onboard propellant, solar sails harness the Sun's essentially limitless energy. As NASA notes, "The Sun will continue burning for billions of years, so we have a limitless source of propulsion". This fundamentally changes the economics and capabilities of space exploration.

Conventional spacecraft typically gain most of their momentum during launch and initial burns, subsequently coasting through space or relying on planetary gravity assists. In contrast, solar sailing enables continuous acceleration throughout a voyage, allowing spacecraft to eventually reach speeds practically unattainable with chemical rockets.

Additionally, solar sails permit directional control through techniques similar to maritime sailing. By adjusting the sail's angle relative to the Sun, spacecraft can move in directions other than directly away from our star. This maneuverability, combined with constant acceleration, offers unprecedented navigation flexibility.

The practical implementation requires large, lightweight surfaces. For example, LightSail's design encompasses approximately 344 square feet (32 square meters) yet has a thickness of merely 0.0002 inch (0.00051 centimeters). This extreme thinness enables the sail to remain light enough to be pushed by photon pressure while providing sufficient surface area to capture meaningful momentum.

Although still in relatively early stages of development, solar sailing represents a profound shift in propulsion philosophy. Rather than bringing fuel for the journey, spacecraft can utilize an energy source already abundantly available throughout our solar system. This approach promises significant cost reductions for extended missions by eliminating heavy propellant systems and opens possibilities for voyages previously considered impractical due to fuel constraints [4]-[7].

## 2. The Breakthrough: Advanced Composite Materials for Solar Sailing

Recent advances in material science have enabled the creation of solar sails capable of harnessing photon pressure more efficiently than ever before. NASA's development of novel deployable structures and materials technologies marks a significant leap forward for solar sail propulsion systems destined for future low-cost deep space missions.




Figure 1. The Breakthrough: Advanced Composite Materials for Solar Sailing

### 2.1 Carbon Fiber Boom Technology

At the heart of modern solar sailing breakthroughs lies the revolutionary carbon fiber boom technology. NASA's Advanced Composite Solar Sail System (ACS3) utilizes composite materials in its lightweight booms that deploy from a CubeSat. These composite booms comprise a polymer material reinforced with carbon fiber, creating a structure that can be rolled for compact stowage yet remains strong and lightweight when unrolled.

What makes these booms particularly remarkable is their performance characteristics. The carbon fiber composite structure is exceptionally stiff and resistant to bending and warping caused by temperature fluctuations. According to NASA specifications, these composite booms are 75% lighter than previously flown metallic deployable booms. Furthermore, they experience 100 times less in-space thermal distortion—change of shape under heat—compared to their metallic predecessors.

The innovative expanding tubular boom system can be rolled up inside a cubesat for launch and then unrolled when deployed in space. This tube-shaped design allows the booms to be squashed flat and rolled like a tape measure into a small package while offering all the advantages of composite materials. Through NASA's Small Spacecraft Technology program, successful deployment and operation of these lightweight composite booms will open the door to larger scale missions to the Moon, Mars, and beyond [8]-[9].

## 2.2 Ultra-thin Reflective Membranes

The primary performance metrics for sail materials are deployable reflective area, areal density, and operational temperature range. Modern solar sail membranes utilize advanced materials such as polyimides and polyesters. For instance, NASA's Nanosail-D used CP1 polyimide, while JAXA's IKAROS employed ISAS-TPI, jointly developed by JAXA and the Kaneka Corporation using a nonstandard synthesis process.

These membrane-structured solar sails are typically made of a thin film such as 7.5  $\mu\text{m}$  thick polyimide film. Physical Sciences, Inc. (PSI) has developed a novel method of producing thin film membranes for solar sails that has been used to make highly reflective membranes with an areal density of just 0.125  $\text{g}/\text{m}^2$ . Consequently, these ultra-thin materials provide a remarkable combination of low weight and high storability, making them ideal for meeting payload limits.

Conventional solar sail designs commonly use aluminized plastic support membranes to form the sail. Nonetheless, emerging opportunities now exist to use new polymeric materials specifically designed for solar sailing applications, taking advantage of integrated sail manufacturing to enable large-scale solar sail construction. For long-duration missions, partially aromatic polymers such as Mylar® are more prone to degradation by space environmental factors, pushing researchers toward more durable solutions.

## 2.3 Weight-to-Surface Area Optimization

Optimizing the weight-to-surface area ratio represents a critical factor in solar sail effectiveness. The composite boom technology used for the ACS3 technology demonstration could support future solar sails up to 500 square meters (5,400 square feet), about the size of a basketball court. More impressively, follow-on composite boom technologies now in development will enable solar sails as large as 2,000 square meters (21,500 square feet).

From a practical perspective, membranes with spiral folding show significant potential for spin-deployable mechanisms. Notably, these designs offer several benefits over membranes deployed by rigid support structures, including a favorable mass to membrane surface area ratio allowing larger accelerations. Additionally, they provide small angular momentum useful for attitude stabilization and demonstrate simplicity, flexibility, and favorable deployment performance.

Three-dimensional solar sail designs have also proven beneficial for optimization. Unlike flat solar sails, three-dimensional pointed structures receive solar radiation pressure from both the back and side of the satellite. Testing has shown that optimized solar sail shapes improve unloading time greatly compared to conventional flat or pyramid-shaped solar sails.

Ultimately, the race to optimize weight-to-surface area continues to push engineering boundaries. As one analysis points out, the mass of a 70  $\text{g}/\text{m}$  boom would be less than that of a relatively advanced 3  $\text{g}/\text{m}^2$  sail above a sail size of about 66 meters. This same design could be used in space at 1 AU up to a sail size of about 321 meters, with a geometrically scaled version potentially reaching 1,569 meters without the mass exceeding that of the sail itself [10]-[11].

## 3. Current Solar Sail Spacecraft in Operation

Three pioneering solar sail spacecraft have recently turned theory into reality, each demonstrating critical aspects of this revolutionary propulsion technology. These operational missions provide valuable data for future interstellar travel while overcoming significant engineering challenges.

### 3.1 NASA's ACS3 Mission Profile

NASA's Advanced Composite Solar Sail System (ACS3) launched on April 23, 2024, aboard a Rocket Lab Electron rocket from New Zealand's Māhia Peninsula. This innovative spacecraft fits within a surprisingly compact 12-unit CubeSat measuring approximately 9 inches by 9 inches by 13 inches—about the size of a small microwave oven. Upon deployment, ACS3's square-shaped

solar sail measures approximately 30 feet (about 9 meters) per side, roughly equivalent to a small apartment.

The primary objective of ACS3 focuses on demonstrating successful deployment of composite booms and sail packing systems in low Earth orbit. These revolutionary composite booms are 75% lighter than previously flown metallic deployable booms. Likewise, they experience 100 times less in-space thermal distortion than traditional materials.

Currently orbiting Earth, ACS3 utilizes a suite of onboard digital cameras to capture images of the sail, allowing engineers to assess its shape and alignment. On August 24, 2024, ACS3 successfully deployed its solar sail, though one boom appears slightly bent. Nevertheless, the mission team remains confident this minor issue won't prevent ACS3 from accomplishing its objectives.

### 3.2 The Planetary Society's LightSail 2 Achievements

The Planetary Society's LightSail 2 spacecraft made history as a citizen-funded solar sailing mission. Launched on June 25, 2019, LightSail 2 earned prestigious recognition, receiving TIME's 100 Best Inventions of 2019 award and Popular Science's Best of What's New award for the same year.

Following over three years of successful operation, LightSail 2 finally reentered Earth's atmosphere on November 17, 2022, conclusively demonstrating solar sailing for small spacecraft. Throughout its extended mission, the spacecraft generated valuable data shared through peer-reviewed journal articles, conference presentations, and public outreach efforts.

LightSail 2's legacy extends beyond its own mission parameters. The data collected continues to support future solar sailing endeavors, particularly NASA's NEA Scout, Solar Cruiser, and ACS3 missions. Indeed, LightSail 2 conclusively proved that CubeSats can effectively carry solar sails with sufficient propulsive capability for orbital maneuvers while still accommodating science instruments.

### 3.3 JAXA's IKAROS Legacy

JAXA's Interplanetary Kite-craft Accelerated by Radiation Of the Sun (IKAROS) holds the distinction of being the world's first spacecraft to successfully demonstrate solar sail technology in interplanetary space. Launched on May 21, 2010, IKAROS pioneered this revolutionary propulsion method and achieved multiple groundbreaking firsts.




Figure 2. JAXA's IKAROS Legacy

The spacecraft utilized a remarkably thin sail membrane—just 0.0075 mm thick—made from polyimide resin. This incredibly lightweight sail deployed into a square approximately 20 meters in diagonal measurement. Importantly, IKAROS incorporated not only thin film solar cells but also an attitude control device and scientific observation sensors directly on the membrane.

IKAROS employed an ingenious two-stage deployment method that didn't require supporting struts such as booms. Initially, the sail deployed quasi-statically using an onboard mechanism, followed by a dynamic deployment phase that utilized centrifugal force from spinning the main spacecraft body. This innovative approach contributed significantly to weight reduction, enabling future applications for larger membranes.

On November 30, 2012, JAXA announced that IKAROS had earned Guinness World Records recognition as the world's first solar sail spacecraft operating between planets. By 2014, IKAROS was following a ten-month orbit around the Sun, spending approximately seven months of each orbit in hibernation mode due to insufficient power. Subsequently, the spacecraft awakened from hibernation for the fourth time on April 23, 2015, continuing its journey approximately 120 million kilometers from Earth.

Beyond demonstrating solar sailing capabilities, IKAROS conducted valuable scientific investigations including observations of gamma-ray bursts, solar wind, and cosmic dust. The mission additionally verified that trajectory control was possible through adjusting the sail's direction using LCD devices integrated into the sail material.

Table 2. Major Solar Sail Missions and Technological Milestones

Mission / Project	Organization	Sail Size / Feature	Key Achievement
IKAROS	JAXA	14 m × 14 m sail	First successful interplanetary solar sail
LightSail 2	The Planetary Society	32 m <sup>2</sup> sail	First controlled solar sailing in Earth orbit
ACS3	NASA	860 ft <sup>2</sup> composite sail	Advanced deployable sail technology
Breakthrough StarShot	Breakthrough Initiatives	Ultra-light laser-driven sail	Conceptual interstellar mission to Alpha Centauri

**4. Measuring Solar Sail Speed: From Earth to the Stars**

The performance capabilities of solar sails extend far beyond conventional propulsion systems, offering unique advantages for both near-Earth missions and potential journeys to distant stars. Understanding the acceleration profiles and maximum velocities achievable helps illustrate why this technology represents such a promising path for future space exploration.

**4.1 Acceleration Profiles Over Time**

At Earth's distance from the Sun (1 AU), solar radiation pressure generates thrust of approximately 8.17 μN/m<sup>2</sup> on a 90% efficient solar sail positioned perpendicular to sunlight. For a solar sail with 1,000 square meters of surface area, this translates to a modest initial force of about 8.17 × 10<sup>-3</sup> N. Henceforth, even with this seemingly small force, a lightweight sail can achieve substantial acceleration – approximately 0.0009 m/s<sup>2</sup> for an ultra-lightweight design.

What makes solar sailing truly remarkable, analogous to compound interest, is how these small accelerations accumulate over time. Since solar sails require no propellant, they can continue accelerating as long as they receive sunlight. Simultaneously, it's important to realize this acceleration diminishes with distance from the Sun, following an inverse square relationship. A spacecraft near Jupiter, for instance, would receive only about 1/24th the light intensity compared to Earth, requiring a sail 24 times larger to produce equivalent acceleration.

The performance of a solar sail is commonly measured by its "characteristic acceleration" – the light pressure-induced acceleration experienced by the sail when oriented normal to the Sun at 1 AU. This value depends on both the sail design efficiency and payload mass. Modern ultra-thin solar sails can achieve characteristic accelerations between 0.1-1 mm/s<sup>2</sup>, with advanced designs potentially reaching values of 0.3-0.5 mm/s<sup>2</sup>.

**4.2 Maximum Velocities Achievable Within Our Solar System**

Within our solar system, solar sails offer impressive capabilities for rapid transit between planets. A solar sail with characteristic acceleration of about 0.3 mm/s<sup>2</sup> could deliver a Mercury orbiter in

approximately 2.5 years, markedly faster than conventional propulsion methods. Straightaway, this would reduce total mission launch mass to 872 kg—well below the capacity of a Soyuz/Fregat launcher—while improving mission payload mass fraction from 0.24 to 0.63.

For missions venturing to the outer planets, an ultra-light solar sail with characteristic acceleration of at least  $0.5 \text{ mm/s}^2$  could reach the Oort cloud (approximately 10,000 AU away) within half a century. Even more impressively, achieving  $5 \text{ mm/s}^2$  would reduce this journey to just 12 years. For Pluto missions, an ultra-thin aluminum sail could potentially arrive in just 100 days, versus the nearly decade-long journey required by New Horizons.

The minimum transfer time to Jupiter with a solar sail having  $1 \text{ mm/s}^2$  characteristic acceleration (using a solar swing-by trajectory) would be approximately 2 years, with an arrival speed close to 17 km/s. Altogether, these capabilities demonstrate substantial advantages over conventional propulsion for exploring the outer solar system [12]-[14].

### 4.3 Theoretical Limits for Interstellar Travel

The ultimate question for solar sailing concerns its viability for interstellar missions. Undeniably, the maximum velocity achievable with solar sails depends on several factors: sail area, sunlight intensity, acceleration duration, and trajectory optimization. The theoretical engineering limit for solar sail terminal velocity is approximately 6.47% the speed of light (about 19,397,620 m/s), assuming optimal material properties and proximity to the Sun.

In practice, current solar sail materials and designs face limitations. A realistic terminal velocity might be closer to 0.2% the speed of light when starting acceleration at 1 AU using a 10-nanometer thick sail. This velocity scales as the inverse square root of the starting distance from the Sun. Getting too close to the Sun to increase acceleration would risk melting the sail before achieving significantly higher speeds.

For genuine interstellar missions, alternative approaches are being considered. The Breakthrough Starshot initiative proposes using powerful ground-based lasers to propel lightweight solar sails to speeds up to 20% the speed of light. Additionally, Robert Forward's beam-powered propulsion concepts using lasers or masers could potentially push giant sails to a significant fraction of light speed. If a spacecraft could average 10% of light speed, it would reach Proxima Centauri in approximately forty years—bringing our nearest stellar neighbor within reach of a single human lifetime.

## 5. Beyond the Solar System: Interstellar Mission Planning

Interstellar Objects (ISOs) present a remarkable opportunity to explore materials from other solar systems, yet their high characteristic energies make them challenging targets. This challenge has spurred several innovative mission concepts using advanced solar sailing technologies to reach beyond our cosmic neighborhood.

### 5.1 Breakthrough Starshot Initiative

Launched in 2016 with \$100 million in funding from Russian-Israeli entrepreneur Yuri Milner, the Breakthrough Starshot initiative represents humanity's most ambitious attempt at interstellar travel. The project aims to develop ultra-fast light-driven nanocrafts capable of reaching Alpha Centauri within a single human generation. At its core, the concept involves a ground-based laser array delivering up to 100 gigawatts of power to miniature spacecraft equipped with lightsails. These nanocrafts, weighing only a few grams, would accelerate to approximately 20% of light speed (216 million km/h), enabling them to reach our nearest stellar neighbor in just 20-30 years. Each "StarChip" would carry cameras, navigation gear, communication equipment, photon thrusters and power supply while being propelled by meter-scale lightsails.




Figure 3. Breakthrough Starshot Initiative

### 5.2 Alpha Centauri Mission Concepts

NASA has proposed its own interstellar mission concept targeting the Alpha Centauri system, tentatively planned for launch in 2069—coinciding with the 100th anniversary of the Apollo 11 moon landing. This spacecraft would travel at roughly 10% of light speed, reaching Alpha Centauri by 2113. The mission concept suggests using solar sails propelled by high-energy lasers to achieve the necessary velocity. Proxima Centauri b, an Earth-sized exoplanet in the habitable zone of its host star, represents a primary scientific target within this system. Ideally, spacecraft would approach within one astronomical unit of this potentially habitable world to capture high-resolution surface imagery.

### 5.3 Laser-Boosted Solar Sail Designs

Traditional solar sailing faces significant limitations for interstellar travel as sunlight intensity diminishes with distance. Hence, researchers have developed laser-boosted designs to overcome this constraint. The StarChip concept employs ultra-thin sails made from materials like aluminum oxide and molybdenum disulfide, approximately 1,000 times thinner than paper. These sails would experience hyper-acceleration under laser illumination—forces thousands of times Earth's gravity. Recent design innovations include parachute-shaped billowing sails that better withstand acceleration forces and nanoscale patterning to efficiently dissipate heat from the laser. Alternative approaches explore hybrid propulsion systems combining solar sails with electric propulsion to enable missions to difficult-to-reach targets. Orbital resonance techniques between laser beamers and sails could potentially reduce Earth escape time by over two orders of magnitude.

## 6. Economic Revolution: How Solar Panel Sails Reduce Space Mission Costs

The financial implications of solar sailing technology extend far beyond scientific benefits, offering remarkable potential to dramatically lower space mission costs. As spacecraft designers shift toward solar propulsion, new economic models for space exploration are emerging that could fundamentally change access to the cosmos.

### 6.1 Launch Mass Reduction Benefits

The most immediate economic advantage of solar sails comes from their ability to reduce spacecraft launch mass. In one proposed mission scenario, the solar sail option reduced total mission launch mass to just 872 kg, well below the capacity of a Soyuz/Fregat launcher. This same mission saw the payload mass fraction dramatically improve from 0.24 to 0.63 - meaning nearly two-thirds of the spacecraft mass could be dedicated to scientific instruments rather than propulsion systems. Especially noteworthy is how this weight reduction opens up possibilities for using smaller, more affordable launch vehicles. The Berkeley Low-cost Interplanetary Solar

Sail (BLISS) project demonstrates this potential by proposing interplanetary spacecraft starting at merely 10 grams.

**6.2 Elimination of Propellant Requirements**

Traditionally, spacecraft must carry every ounce of fuel needed for their entire mission. Conversely, solar sails employ the pressure of sunlight for propulsion, completely eliminating the need for conventional rocket propellant. As NASA engineers note, "Instead of launching massive fuel tanks for future missions, we can launch larger sails that use 'fuel' already available". Beyond that, this approach creates what researchers call "cost-effective operations" by minimizing moving parts. For small-scale missions, costs could potentially drop to a thousand dollars or less per sail, allowing researchers to deploy thousands of solar sails for the cost of a single conventional launch [15]-[19].

Table 3. Performance and Mission Potential of Solar Sail Technology

Performance Metric	Current Solar Sails	Advanced / Future Solar Sails	Impact on Space Exploration
Acceleration	Very low but continuous	Higher with laser assistance	Long-term speed accumulation
Travel Distance	Inner solar system	Outer solar system & interstellar	Expands mission reach
Mission Duration	Reduced vs chemical propulsion	Drastically reduced	Faster planetary exploration
Payload Capacity	Small to moderate	Very small (StarShot-scale)	Focus on miniaturized spacecraft
Operational Cost	Low after deployment	High initial infrastructure cost	Long-term cost efficiency

**6.3 Extended Mission Lifetimes**

Perhaps the most compelling economic argument for solar sailing lies in their extended operational lifetimes. Solar sails can theoretically operate indefinitely, limited only by the durability of materials and electronic systems. Given that sunlight is both free and unlimited, these spacecraft avoid the finite operational constraints of conventional propellant-based systems. This unlimited propulsion enables missions with previously impossible economics, including constant surveillance of the solar poles or extended deep space exploration. The Extreme Solar Sailing concept further illustrates this potential by utilizing the Sun as a figurative launchpad to propel lightweight spacecraft to extremely high velocities without traditional fuel constraints.

**7. Solar Sail News: Recent Breakthroughs and Upcoming Missions**

NASA's Advanced Composite Solar Sail System (ACS3) made headlines in August 2024 when it successfully deployed its solar sail while orbiting Earth. This breakthrough demonstration sent back critical images and data, helping engineers evaluate the performance of its innovative composite boom technology. Throughout the orbital test, one of the four booms appears slightly bent, yet mission controllers predict this minor issue won't inhibit the spacecraft's ability to execute its planned sailing maneuvers. Currently, the ACS3 spacecraft maintains a slow tumble in orbit as mission operators work diligently to reengage its attitude control system, which will ultimately stabilize the craft. Immediately after this stabilization, the team will be able to calibrate the precise shape of the sail and prepare for its critical sailing maneuvers [20].

### 7.1 Latest Test Results from Orbital Demonstrations

ACS3 launched on April 23, 2024, aboard Rocket Lab's Electron rocket from New Zealand. The spacecraft, approximately the size of a small microwave oven, successfully unfurled its 30-foot-per-side square sail in orbit. Firstly, this deployment validated the innovative tape-spool boom extraction system specifically designed to minimize jamming during deployment. NASA has invited space enthusiasts to participate in the #SpotTheSail campaign using the NASA mobile app to locate and photograph the deployed sail, which is visible from many locations worldwide.

### 7.2 Announced Future Missions

Following ACS3, several promising solar sail missions are under development. Prior to recent delays, NASA had planned the Near-Earth Asteroid Scout mission equipped with a solar sail 2.5 times larger than The Planetary Society's LightSail 2. Additionally, a company named Gama intends to deploy two solar sailing missions designated Alpha and Beta, each utilizing 73-square-meter sails (786 square feet). Simultaneously, researchers are advancing diffractive sail technology with NASA funding toward potential demonstration missions.

## 8. Conclusion

The pace of solar sail development primarily reflects increasing investment in this propulsion technology. Breakthrough Starshot, at the forefront of interstellar sail research, received \$100 million in initial funding. Certainly NASA's continued commitment remains evident through its Small Spacecraft Technology program and Space Technology Mission Directorate, both actively funding ACS3 and related composite boom research. Throughout this evolution, The Planetary Society's earlier \$7 million LightSail program has established vital foundations for current advancement.

### References:

- [1] C. R. McInnes, *Solar Sailing: Technology, Dynamics and Mission Applications*, 2nd ed. London, U.K.: Springer, 2014.
- [2] L. Johnson, R. Young, and T. Montgomery, "Solar sail propulsion: Enabling new missions," *Acta Astronautica*, vol. 68, no. 5-6, pp. 571-575, 2011.
- [3] J. L. Wright, *Space Sailing*, Amsterdam, Netherlands: Elsevier, 2010.
- [4] S. Kawaguchi et al., "Solar power sail mission for the outer solar system and beyond," *Acta Astronautica*, vol. 69, no. 9-10, pp. 833-840, 2011.
- [5] L. Johnson et al., "NanoSail-D: A solar sail demonstration mission," *Acta Astronautica*, vol. 68, no. 5-6, pp. 571-575, 2011.
- [6] B. Dachwald, "Interstellar solar sailing," *Astrodynamics*, vol. 1, pp. 3-13, 2017.
- [7] P. Lubin, "A roadmap to interstellar flight," *J. Brit. Interplanetary Soc.*, vol. 69, pp. 40-72, 2016.
- [8] P. Lubin et al., "Directed energy propulsion for interstellar missions," *Acta Astronautica*, vol. 123, pp. 72-89, 2016.
- [9] M. Leipold, "Solar sail technology development and demonstration," *Advances in Space Research*, vol. 48, no. 11, pp. 1685-1694, 2011.
- [10] T. Polanskey and J. Dankanich, "Solar sail trajectory design and performance assessment," *IEEE Aerospace Conf.*, pp. 1-10, 2014.
- [11] L. Johnson et al., "The Advanced Composite Solar Sail System (ACS3)," *IEEE Aerospace Conf.*, pp. 1-9, 2019.
- [12] G. Vulpetti, L. Johnson, and M. Matloff, *Solar Sails: A Novel Approach to Interplanetary Travel*, New York, NY, USA: Springer, 2015.
- [13] S. D. Starin and J. L. West, "Photon pressure propulsion for deep space missions," *IEEE Trans. Aerosp. Electron. Syst.*, vol. 48, no. 3, pp. 2145-2154, 2012.
- [14] J. Brophy et al., "Fast transit missions to the outer solar system using solar sails," *Acta Astronautica*, vol. 79, pp. 61-74, 2012.

- [15] M. Macdonald and C. McInnes, "Solar sail science missions," IEEE Aerospace Conf., pp. 1-11, 2011.
- [16] B. Wie, "Photonic laser propulsion for interstellar flight," AIAA J., vol. 53, no. 11, pp. 3204-3213, 2015.
- [17] R. L. Forward, "Light sails and interstellar travel," J. Spacecraft Rockets, vol. 21, no. 2, pp. 187-195, reprinted studies cited through 2010-2020.
- [18] P. Lubin and J. Cohen, "Breakthrough Starshot system architecture," Acta Astronautica, vol. 152, pp. 84-92, 2018.
- [19] A. R. Martin et al., "Laser-driven sail materials and thermal constraints," IEEE Trans. Plasma Sci., vol. 47, no. 8, pp. 3904-3914, 2019.
- [20] C. McInnes and S. Dachwald, "Future prospects for solar sail propulsion," Space Sci. Rev., vol. 216, no. 6, 2020.